MODIFY

Modified on: Fri, 6 Sep, 2019 at 8:36 PM

Modify Frame



Modify Frame – modifies selected wall framing by custom settings if you need to make unique changes. All configuration settings are the same as in **Framing Configuration**.



Example: Select any frame \rightarrow **Modify Frame** \rightarrow Make custom changes in the framing configuration \rightarrow OK:

Modify Opening



Modify Opening – modifies selected window, door, or other opening framing by custom settings if you need to make unique changes. All configuration settings are the same as in **Framing Configuration**.

Example: Select any opening frame, like trimmer, king, cripple \rightarrow **Modify Opening** \rightarrow Make custom changes in the opening framing configuration \rightarrow OK:



Update Frame



Update Frame – updates the frame if any changes were made to wall, e.g. window was moved, wall was extended, etc.



Delete Frame



Delete Frame – deletes the selected framing. You simply need to select one element (stud, plate, bridging etc.), and the tool will delete the whole frame from the wall. If you select a wall, then the tool will delete all framed layers.



Modify Wall Join



Modify Wall Join – modifies selected join by custom settings if you need to make unique changes. All configuration settings are the same as in **Framing Configuration**.



For join modification, please pay attention to which stud you are selecting. The tool will recognize if the corner is outer or inner and give you different options in modification dialog – to modify Butt (B) or L corner:



Modify Multiple Openings

7/9/2021 MODIFY : AGACAD E10 才 Update Frame 🔓 Link Wall **T** IIII ∎... 🔇 Delete Frame 🙆 Configs 🔹 Add Additional Number Frame Split Create Modify Other 🔹 Wall Details Parts 📰 Settings 🔹 Elements Assembly - Modify Wall Join Modify Multiple Openings Modify Joined Opening Frame Modify all Opening Join Frames Modify one Opening Join Frame Update by Wall Link Update Opening by Wall Link Save Configuration w/o Openings

Modify Multiple Openings – modifies multiple selected window, door, or other opening framings by custom settings if you need to make unique changes. All configuration settings are the same as in **Framing Configuration**.

Example: Select several windows, doors, or other openings \rightarrow Click Esc to finish selection \rightarrow **Modify Multiple Openings** \rightarrow Make custom changes in the opening framing configuration \rightarrow OK:





Modify Joined Opening Frame



Modify Joined Opening Frame – modifies selected joined window, door, or other opening framing by custom settings if you need to make unique changes. All configuration settings are the same as in **Framing Configuration**.

Example: Select opening which was joined, like window, door, or MEP opening \rightarrow **Modify Joined Opening Frame** \rightarrow Make custom changes in the opening framing configuration \rightarrow OK:



Result:



Modify all Opening Join Frames





Modify all Opening Join Frames – modifies selected joined window, door, or other opening common framing, like trimmers and cripples, by custom settings if you need to make unique changes. All configuration settings are the same as in **Framing Configuration**.

Modify one Opening Join Frame



Modify one Opening Join Frame – modifies a single window, door, or other joined opening common framing, like trimmers or cripples, by custom settings if you need to make unique changes. All configuration settings are the same as in Framing Configuration.

Update by Wall Link

Frame Wall Details	Update Frame Delete Frame Modify Other Modify Wall Join	Number Elements	Create Assembly	I Link Wall Configs ▼ Settings ▼
	Modify Multiple Openings			
	Modify Joined Opening Frame			
	Modify all Opening Join Frames			
	Update by Wall Link			
	Update Opening by Wall Link			
	Save Configuration w/o Openings			

Update by Wall Link – reframes selected wall frame to default, which is configured under Framing Configuration.

Frame Wall	Add Additional Details	 Update Frame Delete Frame Modify Other • 		Split Parts	Number Elements	Create Assembly	I Link Wall Onfigs ▼ Settings ▼
		Modify Wall Jo	in				
		Modify Multip	le Openings				
		Modify Joined	Opening Fra	ime			
		Modify all Ope	ening Join Fr	ames			
		Modify one Op	pening Join F	Frame			
		Update by Wal	l Link				
		Update Openir	ng by Wall Li	nk			
		Save Configura	ation w/o Op	penings			

Update Opening by Wall Link

Update Opening by Wall Link – reframes selected window, door, or other opening frame to default, which is configured under **Framing Configuration**.

Save Configuration w/o Openings



Save Configuration w/o Openings – saves configuration of selected frame without settings for openings. This feature is very useful if you have already framed a wall and you lost the configuration that was used for it. The configuration is needed to frame new walls.

Example: You just need to select any frame from a wall and save configuration under your name:



Now you will be able to use this configuration for new or existing walls:

7/9/2021

MODIFY : AGACAD

<u>*</u>	Wall+M - Default Framing Parameters
Material Class: Steel Configuration Type: Frame Configuration Name I_C+U_Blocking_my name	 Save Save As Rename Delete
Common Settings	Configuration Settings Elements Mark Definitions Modify Settings Use for all Framing Elements (except Openings)
Wall Framing	Main Type of Studs I_MF Stud-Joist : 600S162-43 Width (b) 1.625
Window Framing	Depth (h, d) 6 Main Type of Plates I_MF Track : 600T150-43
Door Framing	Width (b) 1.5 Depth (h,d) 6
Opening Framing	Wall Frame Panels