Krzysztof Ruszyński Izabela Cholewa

ZWBlocks



ZWBlocks 2021

Version 2021.0.00 (11-08-2020)

All rights reserved including the right of reproduction in whole or in part in any form. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without prior permission from Usługi Informatyczne "SZANSA" Sp. z o.o. .

All signs found in the text are trademarks or registered trademarks of their respective owners. Usługi Informatyczne "SZANSA" Sp. z o.o. has made its best effort to deliver complete and reliable information within this manual.

The firm shall not be held liable for the usage, or for any potential breach of patent or copyrights included within the manual.

Usługi Informatyczne "SZANSA" Sp. z o.o. may in no way be held responsible for damage that may occur as a result of and/or when using the information found within the manual.

Usługi Informatyczne "SZANSA" Sp. z o.o. ul. Świerkowa 25 43-305 Bielsko-Biała NIP 937-267-27-69 www.zwcad.pl tel. +48 33 307 01 95

Copyright © Usługi Informatyczne "SZANSA" Gabriela Ciszyńska-Matuszek.



Table of Content

1		Description5					
2	Requirements5						
3		Sup	port	5			
4		Inst	allat	ion5			
5		Act	ivati	on6			
	5.1	L	Onli	ine Activation7			
	5.2	2	Offl	ine Activation7			
	5.3	3	Trar	nsfer of a license9			
		5.3	.1	Returning the license9			
		5.3	.2	Online return			
		5.3	.3	Offline Return			
6		ZW	Bloc	ks 2021 Commands: Explained12			
	6.1	L	Safe	ety signs 🛐12			
	6.2	2	Dra	w escape route 🔄14			
	6.3	3	Mar	rking "You are here" 🦊16			
7		Upo	datin	ng ZWBlocks 2021 📩			
8		Me	nu N	17 Ianual Load			
9	Application Manual Load18						

1 Description

Application helps users to draw emergency evacuation plans. Inserting safety symbols and draw escape route elements

2 Requirements

ZWBlocks is an application (add-on) for ZWCAD 2021. It works with the most recent version of ZWCAD 2021.

3 Support

Technical support is available from 8 am to 4 pm from Monday to Friday, we invite you to contact us by e-mail or telephone.

E-mail: pomoc@zwcad.pl

Phone: 33 474 04 03


4 Installation

Installation must be completed on an account with administrative privileges.

Application installs automatically after run downloaded installation package.

Default application is installed in folder C:\Szansa\ZWBlocks\2021. In time of installation, it's possible to set different installation path. This is not recommended especially in Windows Vista, Windows 7, Windows 8, Windows 10. Build in UAC function in this systems lock some functions of application.

After correct installation and run ZWCAD. Application ZWBlocks should load automatically. On ZWCAD window, there should be toolbar as below:



If for some reasons application and menu will not be loaded automatically, You can load it manual following instructions: Manual Load application.

5 Activation

Activation must be completed on an account with administrative privileges.

Once the trial period of 30 days runs out, a license will be needed in order to use the program. After receiving the payment, an e-mail with an activation code will be sent.

In order to activate the program, use the command ZWBlock:Activate or click on this icon

in ZWBlocks toolbar. The following window will appear: Once Activator has been launched, the following window will be displayed:

Application	Module	Version	Licence type	Licence state	Expiring	The code
200 Augusta		200	the first staff.	A.6.5	2010/01/01	Build Calls Report
100.00		100	10.000	100.004		
(Witnesse)		204	100 m 100 m	1000		
277 Aug 10	No.	1000	1000	100.000		
(Whether	100	100	(Annual States)	(Margaret		
200 marks	final data.	200	100 M 100 M	1000		
Citize State	ing and	100	10.000	100.004		
(Million Street		204	100 million (100 million)	10000		
270 March 10	10	1000	1000	and the second		
ZWBlocks	All	2020		Active	25-07-2019	
Other			244	date:	Contraction of the	1000-000-000
2003-00		200	1000	100.00		
				1 1		

Please click on "Activate".

A choice between activating the appliaction online or offline will be present.

Activation		
Online	Offline	
	Activation code	
	Activate	
		Close

5.1 Online Activation

Please note: Online activation requires an Internet connection. If there is no internet connection available please use the Offline Activation.

In the field "Activation code" please type in the information sent during realization of the order, afterwards click on "Activate".

An information window will pop up confirming the activation.



Once ZWCAD is launched, all functions of the program should be loaded and available.

5.2 Offline Activation

	Online	Offline
In the "Offline" tab		·

additional steps are required to complete the activation.

Activation		
Online	Offline	
	Activation code	
1:	Create request file	
2:		
3:	Activate	
		Close


In the field "Activation code" please type in the information sent during realization of the order.

Activation code	
Activate	

Afterwards it is necessary to click on "Create a request file", it will create an additional file which needs to be saved on the desktop or in any other directory of the computer.

1: Create request file

The file needs to be sent in a form of an attachment to, <u>pomoc@zwcad.pl</u> and a reply will consist of response file which then needs to be loaded in the activator:



Response file needs to be saved on the computer and its localization needs to be determined by clicking on the following icon.

Once the response file is loaded, click on "Activate".

3:	Activate	
----	----------	--

An information window will pop up confirming the activation.



Once ZWCAD is launched, all functions of the program should be loaded and available.

5.3 Transfer of a license

The license of UISZANSA applications in the form of a program code can be transferred to a different workstation.

In order to transfer the license to a different computer, it is necessary to return the active license and once that is done, it will be possible to activate the license on a different Workstation.

5.3.1 Returning the license

Application	Module	Version	Licence type	Licence state	Expiring	The code
ALC: NOT THE OWNER OF		200	that is not	A84	200.00	Ball Calls Report
0000		100	100.000	100.004		
Sec. 1		200	and the second	(All shares		
100.00	See.	100	and the second second	10.000		
State:	100	100	States and	(Margaret		
Performance -	freit inte	200	100 C 100	100.00		
Circles (Circles)	ing all	100	100.000	100.004		
With Street		200	and the second	(All shares		
1000		1000	and the second second	and the second		
ZW Blocks	Al	2020		Active	25-07-2019	And the second second
Office 1			Sec.	date:	1000	1010-011-0411 ⁻¹
Sec. 1		200	100 C 100	100.00		
	1			1		4

License return is available in the UISZANSA Activator window.

Once "**Return**" has been clicked on, an additional window will appear in which it will be possible to return the license, either online or offline.


License return		_ D _ X
Online Offli	ne	
Acti	vation code	
	Return	
		Close

5.3.2 Online return

Please note: Online return requires an Internet connection. If there is no internet connection available please use the Offline return (3.1.2 Offline return).

To carry out the online return, please type in your license details followed by clicking on "Return".

Once confirmed, the license will be usable on a different workstation.



5.3.3 Offline Return

In the **"Offline**" tab additional steps are required to complete the return of a license.

License ref	turn	
Online	Offline	
	Activation code	
1:	Create request file	
2:		
3:	Return	
		Close

In the field "Activation code" please type in your license details.

Activation code		

Afterwards it is necessary to click on "Create a request file", it will create an additional file which needs to be saved on the desktop or in any other directory of the computer.

1:	Create request file	

The file needs to be sent in a form of an attachment to, <u>pomoc@zwcad.pl</u> and a reply will consist of response file which then needs to be loaded in the activator:

2:

Response file needs to be saved on the computer and its localization needs to be determined by clicking on the following icon.

Once the response file is loaded, click on "Return"




Once ZWCAD is launched, all functions of the program should be loaded and available.

6 ZWBlocks 2021 Commands: Explained

6.1 Safety signs

Command : ZWBLOCKS


With this function You may insert safety signs into drawing. After run command displayed will be window containing many symbols: Health and Safety, warrant, warning, limitation, evacuation, and fire protection. It's enough to select sign from list [1] and click Insert [2].



Elements of the window:

- 1. List of blocks / drawings in the current project or directory
- 2. The "Insert" will insert the selected symbol to the Project
- 3. Main list of symbols, contains symbols grouped in the categories:
 - Library symbols are installed together with the overlay
 - Active drawing symbols used in the Project
 - Most recent used list of 10 symbols that have been used recently, no matter what the drawing / design


- Favourites symbols can be saved in this list by clicking "Add to Favourites"
 [4]
- User Library list of directories on the disk, which you may import to application by pressing the "Add Folder" [5]
- Find results In position[6], you can search for symbols whose names match the given pattern. In this list, you can save the results of the search.
- 4. The "Add to favorites" after using it to the main list [3] in position a favorite will be added symbol to the currently selected from the list [1]
- The "Add Folder" after using it to the main list [3] in the user Library's will be added symbol to the currently selected from the list [1]
- The "Remove from library" button, lets user to remove element added by add to favourites, The most recent used, imported library
- 7. The "Find" after using it in a list [1] will display a list of search results from the entire library of symbols whose names match the pattern entered in field [7]
- 8. The field for entering a name in the search pattern. Just enter part of the name to determine which elements are to be searched.
- 9. The "Save find result". After using it elements are saved in the list [1]. Under the name specified according to the pattern.
- 10. Preview of the selected symbol, when you select from the list [1] in window of the symbol will be displayed. Not all blocks are defined preview. For blocks that do not have previews, it will not be displayed.
- 11. Global scale. Symbols in each project can be inserted in a different scale. In this field, enter a scale that will be stored at run time.
- 12. Local scale. Each of the symbols can be inserted in a different scale. The value assigned to this field will be stored for the selected symbol in the current project
- 13. New name. This field allows you to create a new symbol identical with the chosen and will have a name entered in the field
- 14. Close. Closes the library.




6.2 Draw escape route ե

Command : ZWBLOCKSDrogaEwakuacyjna

This function let User mark escape route by lead arrows between clicked points. Default arrow is green, width of arrow is 10 units, You can easy change those parameters. When You run command, application will ask You to select first point or You can use one of options Width or Colour, and select parameter You want. In the properties it if possible to change the default parameters.



In the properties You can change the default properties: Size and Color.



Change the width of the arrow:


- After activation command enter the shortcut "S" in the command bar and press Enter.
- > The default value is 10 units of drawing. Enter the new value and press Enter.

Command: Command: ZWBlocksDrogaEwakuacyjna Specify start point or one of options[Siz Specify width:<10.000000>20	ze/Color]S
Specify start point or one of options[Siz	re/Color]
-112.6922, 192.8831, 0.0000	▦ ▦ ⊾ ◙ ◘ ∠ ⊵ ⊨ ≡ ங Щ

> The width of the arrow is changed.

Change the color of arrow:

After activation command enter the shortcut "C" in the command bar and press Enter.



> The window appears where you can change the color.


🎶 Select Color			? ×
Index Color Color Index :		L.	
<u>Color:</u>		By <u>L</u> ayer	ByBlock
	OK	Cancel	<u>H</u> elp

- Select a color and click "OK".
- The color of the arrow is changed.


6.3 Marking "You are here" 🖊

Funkcja: ZWBLOCKSJestesTu

This function is used to insert on the figure marks the position of the viewer of the building plan. The symbol is the red dot and the line. Localization of line is determines by of the User. At the end line of appears "You are here"



In the properties You can change the default properties: Size and Color.



Size and color change as described in the previous function.

7 Updating ZWBlocks 2021 📩

This function allows you to automatically update overlay to a newer version, if it exists.



After clicking "Next" will install the newer version.

8 Menu Manual Load

1. In command line please type "__menuload" ZWCAD will display window.

Load/Unload Customizations	×
Loaded Customization APP+ ZWBlocks 2020_0 ZWCAD ZWCAD ZWGE0_2020_1 ZWNesting_2020_0	<u>U</u> nload
<u>F</u> ile Name:	Load 2 Browse. 1
	4 Close Help

2. Please press button [Browse] [1]. In new window.

No. Select Customization File				×
← → × ↑ 📙 « OS (C:) → Szansa → ZWB	llocks → 2018 → Menu	ע ט Pr	zeszukaj: Menu	م
Organizuj 🔻 Nowy folder			•	•
>	ZWBlocks.cuix			
> • 4 Grupa domowa		l\$		
				2
<u>N</u> azwa pliku:		~ 0	ustomization files(*.cu	ix) ~
			<u>O</u> twórz A	nuluj

Please find file "ZWBlocks.cuix". Default location of this file is:

C:\Szansa\ZWBlocks\2021\EN\Menu\-it can be changed during installation.

- 3. Select file and press [Open].
- 4. Load file by press "Load"[2].
- 5. On list [3] new item will be displayed, that confirms correct load of menu.

6. By button "Close"[4] you may close the window. On main window of ZWCAD, new toolbar with icons will be displayed.

9 Application Manual Load

After installation of application, it should be automatically loaded in ZWCAD. Functions should be available and toolbar with icons should be visible. If for some reason it's not loaded automatically, you should try and load it manually. To do it, you should follow these steps:

Run command _appload and You will see window:

Load Application Files		×
Application Files:	✓ Save updates	
		<u>A</u> dd File
		<u>R</u> emove File
		Load
		<u>U</u> nload
		Add to startup suite
		S <u>t</u> artup suite
		<u>0</u> K
Help		

- 1. Click Add File.
- In new open window change default extension to .zel. than find path where application have been installed. Default its C:\Szansa\ZWBLOCKS\2021\EN, select file ZWBLOCKS.zelx and click Open.
- 3. On appload window click Load to load application,
- If You want application to be loaded automatically each time You run ZWCAD, please select ZWBlocks.zelx on list of files to load, and click button Add to startup suite.